# EXHIBIT A

## Scan results for budrcannabis.com/shop-yonkers

# **Accessible**

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.


Wed Mar 5, 2025

Thank you for making your website accessible and inclusive for all users with disabilities



## Congratulations!

By making your website accessible, you embrace inclusivity and open your business to over 16% of the population.



#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	3	3	50

- 1 <button class="justify-center text-white uppercase min-w-[120px] px-[21px] p y-[16px] inline-flex rounded-41 bg-primary hover:bg-oxidized" x-on:click="lo calStorage.setItem('ageVerified', 'true');await \$nextTick();ageCheckOpen=fal se;await \$nextTick();...
- 2 <br/>
  Sutton class="inline-flex justify-center text-white uppercase min-w-[120px]
  px-[21px] py-[16px] rounded-41 bg-primary hover:bg-oxidized" x-on:click="win
  dow.location.href='https://portal.ct.gov/cannabis'" >No</button>
- 3 <input type="submit" id="gform\_submit\_button\_1" class="gform\_button button"
   onclick="gform.submission.handleButtonClick(this);" value="Subscribe" >

#### Code snapshots of failed elements

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	6	0	100

- 1 <button class="justify-center text-white uppercase min-w-[120px] px-[21px] p y-[16px] inline-flex rounded-41 bg-primary hover:bg-oxidized" x-on:click="lo calStorage.setItem('ageVerified', 'true');await \$nextTick();ageCheckOpen=fal se;await \$nextTick();...
- 2 <button class="inline-flex justify-center text-white uppercase min-w-[120px] px-[21px] py-[16px] rounded-41 bg-primary hover:bg-oxidized" x-on:click="win dow.location.href='https://portal.ct.gov/cannabis'" >No</button>
- 4 <input type="submit" id="gform\_submit\_button\_1" class="gform\_button button"
   onclick="gform.submission.handleButtonClick(this);" value="Subscribe" >

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute.	Yes	29	3	91

- 2 <a href="/" class="block w-full py-5 lg:py-3" aria-label="Click here to retu
  rn to the Budr Cannabis home page" alt="Budr Cannabis" > <img width="219" he
  ight="82" src="https://budrcannabis.com/wp-content/uploads/2023/03/Budr-Logo
  -Lockup\_Copper...</pre>
- 3 <a href="https://budrcannabis.com/loyalty-program/" class="text-lg flex item
  s-center justify-between py-2 text-black lg:text-white font-medium font-lg n
  o-underline hover:underline group-hover:underline lg:mx-6 lg:inline-flex lg:
  py-2 2xl:mx-[18px]" > ...
- 4 <a href="https://budrcannabis.com/contact-us/" class="text-lg flex items-cen
  ter justify-between py-2 text-black lg:text-white font-medium font-lg no-und
  erline hover:underline group-hover:underline lg:mx-6 lg:inline-flex lg:py-2
  2xl:mx-[18px]" > ...

- <a class="text-sm text-white no-underline hover:text-copper hover:underline
  dinosaur" href="https://budrcannabis.com/location/tolland/" target="" >Toll
  and</a>

#### Code snapshots of failed elements

- <a class="w-auto px-4 text-lg font-bold text-white hover:text-copper" href
  ="https://www.instagram.com/budrofficial/" target="\_blank" title="Follow Us
  On Instagram" > <i class="fa fa-instagram fa-lg" aria-hidden="true"></i> </a
  >

#	Element	Relevant	Successes	Failures	Score
4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	2	4	33

#### Code snapshots of failed elements

- 4 <a class="px-3 text-white underline hover:text-copper hover:no-underline" hr
  ef="https://rebelliongroup.com/" target="\_blank" >Rebellion Group.</a>

## Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 8 of 27

#	Element	Relevant	Successes	Failures	Score
5	An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading.	Yes	Pass	-	100

## **Code snapshots of successful elements**

<h1 class="text-white">Shop Yonkers</h1>

#	Element	Relevant	Successes	Failures	Score
6	HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text.	Yes	8	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag	No	0	0	

# Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 9 of 27

Heading levels should not be Yes Pass - 100 skipped and must follow a consistent hierarchy. For example, you should not use h2	#	Element	Relevant	Successes	Failures	Score
an h3 in between.	8	skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include aria-modal="true" and role="dialog" attributes to help screen-reader users navigate them effectively.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer.	Yes	Pass	-	100

<a class="text-black skip-to-content-link bg-wheat" href="#main" tabindex
="0" > Skip to content </a>

#	Element	Relevant	Successes	Failures	Score
13	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should include an "ariahidden" attribute set to "true" when hidden and dynamically updated to "false" when they become visible.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
14	Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown should include an aria-haspopup="true" attribute.	Yes	0	3	0

#### **Code snapshots of failed elements**

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed.	Yes	0	3	0

#### **Code snapshots of failed elements**

<a href="javascript:void(0)" @click="open = !open" @mouseover="open = !open"
class="text-lg flex items-center justify-between py-2 text-black lg:text-whi
te font-medium font-lg no-underline hover:underline group-hover:underline l
g:mx-6 lg:inline-flex ...</pre>

#	Element	Relevant	Successes	Failures	Score
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	3	0	100

- 1 <img width="554" height="751" src="https://budrcannabis.com/wp-content/uploa
  ds/2023/03/Budr-Logo-Icon\_Copper.png" class="attachment-full size-full" alt
  ="Budr Cannabis melting B logo" decoding="async" fetchpriority="high" srcset
  ="https://budrcannabis....</pre>
- 3 <img width="554" height="751" src="https://budrcannabis.com/wp-content/uploa
  ds/2023/03/Budr-Logo-Icon\_Copper.png" class="attachment-full size-full" alt
  ="Budr Cannabis melting B logo" decoding="async" loading="lazy" srcset="http
  s://budrcannabis.com/wp...</pre>

#	Element	Relevant	Successes	Failures	Score
19	Background images that are not just for decoration purposes should have the same treatment as standard images. They should include a role="img" attribute and an alternative text description using an "aria-label" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
20	Font icons, SVGs, or images used as spacers, decorations, or when their purpose is already described by other content, should include a role="presentation" or role="none" attribute.	Yes	7	4	64

- 1 <a href="/" class="block w-full py-5 lg:py-3" aria-label="Click here to retu rn to the Budr Cannabis home page" alt="Budr Cannabis" > <img width="219" he ight="82" src="https://budrcannabis.com/wp-content/uploads/2023/03/Budr-Logo-Lockup\_Copper...

- 5 <i class="fa fa-linkedin-square fa-lg pr-6" aria-hidden="true" ></i>
- 6 <i class="fa fa-instagram fa-lg pr-6" aria-hidden="true" ></i>

#### Code snapshots of failed elements

#### Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 15 of 27

- 1 <svg width="15" height="15" viewBox="0 0 15 15" fill="none" xmlns="http://ww w.w3.org/2000/svg" class="fill-current" > <path d="M7.39258 10.475C7.26133 1 0.475 7.15196 10.4313 7.04258 10.3438L2.01133 5.40001C1.81446 5.20314 1.8144 6 4.896...
- 2 <svg width="15" height="15" viewBox="0 0 15 15" fill="none" xmlns="http://ww
  w.w3.org/2000/svg" class="fill-current" > <path d="M7.39258 10.475C7.26133 1
  0.475 7.15196 10.4313 7.04258 10.3438L2.01133 5.40001C1.81446 5.20314 1.8144
  6 4.8...</pre>

3 <div id="shadow-host"></div>

#	Element	Relevant	Successes	Failures	Score
21	Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images.	No	0	0	

Small or hidden tracking pixel No 0 0 images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers.	#	Element	Relevant	Successes	Failures	Score
	23	images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).	Yes	4	0	100

- 3 <input name="input\_6" id="input\_1\_6" type="email" value="" class="large" pla
  ceholder="Email" aria-required="true" aria-invalid="false">
- 4 <select name="input\_10" id="input\_1\_10" class="large gfield\_select" aria-inv
   alid="false"><option value="" selected="selected" class="gf\_placeholder" >Ch
   oose a location</option><option value="BUDR West Hartford" >West Hartford,
   CT</option><option va...</pre>

#	Element	Relevant	Successes	Failures	Score
25	Form elements must have unique IDs to ensure that their corresponding labels provide accurate information.	No	0	0	

# Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 17 of 27

#	Element	Relevant	Successes	Failures	Score
26	Required form fields should include aria-required="true" to inform screen-reader users of the field's validation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	aria-describedby and aria- labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
28	Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers.	No	0	0	

### Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 18 of 27

#	Element	Relevant	Successes	Failures	Score
29	All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key.	Yes	Pass	-	100

#### **Code snapshots of successful elements**

1 <form method="post" enctype="multipart/form-data" id="gform\_1" action="/shop
 -yonkers/" data-formid="1" novalidate=""> <div class="gform-body gform\_bod
 y"><div id="gform\_fields\_1" class="gform\_fields top\_label form\_sublabel\_bel
 o...</pre>

#	Element	Relevant	Successes	Failures	Score
30	The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content.	Yes	Pass	-	100

## Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 19 of 27

#	Element	Relevant	Successes	Failures	Score
32	The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
33	The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute.	Yes	Pass	-	100

## **Code snapshots of successful elements**

<meta name="viewport" content="width=device-width">

#	Element	Relevant	Successes	Failures	Score
34	Landmarks like main content and footer should use their corresponding HTML5 elements ( <main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere.</footer></main>	Yes	2	0	100

- <footer class="relative bg-primary"> <div class="w-full bg-copper"> <div class="flex flex-row justify-center p-3"> <div class="grid grid-cols-1 gap-4 m d:grid-cols-2 md:gap-0"> <a class="w-full text-lg font-bold text-nowrap under rline hover:n...</pre>

Font sizes should be at least 11px Yes Pass - 100 to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages.	#		Element	Relevant	Successes	Failures	Score
	35	;	to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or	Yes	Pass	-	100

# Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 21 of 27

#	Element	Relevant	Successes	Failures	Score
36	Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
37	Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background.	Yes	42	7	86

- 1 <h2>Are You At Least 21 Years Old?</h2>
- 3 <button class="inline-flex justify-center text-white uppercase min-w-[120px] px-[21px] py-[16px] rounded-41 bg-primary hover:bg-oxidized" x-on:click="win dow.location.href='https://portal.ct.gov/cannabis'" data-acsb-textual-ops="a ddress">No</button>
- 4 <div class="bg-[#ABD79B] font-bold text-primary px-[1rem] lg:px-[25%] py-[1r
  em] text-center"> Budr Cannabis is committed to ensuring digital accessibili
  ty for people with disabilities. We are continually improving the user exper
  ience for ever...

#### Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 23 of 27

#### Code snapshots of failed elements

- 1 <h1 class="text-white">Shop Yonkers</h1>
- 2 <legend class="gfield\_label gform-field-label gfield\_label\_before\_complex" >
   Name<span class="gfield\_required"><span class="gfield\_required gfield\_required"
   ed\_text">(Required) </span></legend>
- 3 <span class="gfield\_required gfield\_required\_text">(Required)</span>
- 4 <label class="gfield\_label gform-field-label" for="input\_1\_6" >Email<span cl
   ass="gfield\_required"><span class="gfield\_required gfield\_required\_text">(Re
   quired)</span></span></label>

#	Element	Relevant	Successes	Failures	Score
38	Carousels should include an "aria- label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen- readers with a role="contentinfo" attribute.	No	0	0	

# Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 24 of 27

#	Element	Relevant	Successes	Failures	Score
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	A common accessibility mistake is treating carousels as live regions using the "aria-live attribute" with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	

# Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 25 of 27

#	Element	Relevant	Successes	Failures	Score
42	Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted.	No	0	0	

# Case 1:24-cv-07658-MKV Document 15-1 Filed 03/05/25 Page 26 of 27

#	Element	Relevant	Successes	Failures	Score
46	The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers.	Yes	3	0	100

- 1 <iframe title="reCAPTCHA" width="304" height="78" role="presentation" name ="a-tkcs6luxtxce" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-navigation allow-modals allow-popups-to-escape-sand...
- 2 <iframe allow="join-ad-interest-group" data-tagging-id="G-5EC21SN7S0" data-l
   oad-time="1741188988888" height="0" width="0" src="https://td.doubleclick.ne
   t/td/ga/rul?tid=G-5EC21SN7S0&amp;gacid=1737799253.1741188989&amp;gtm=45je533
   0v9105623983z891056075...</pre>
- 3 <iframe title="recaptcha challenge expires in two minutes" name="c-tkcs6luxt
  xce" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allowsame-origin allow-scripts allow-top-navigation allow-modals allow-popups-toescape-sandbox allow-s...</pre>

This audit is subject to the terms of service